UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/552,985	07/10/2007	Yasufumi Asao	00684.109140.	2399
5514 7590 04/06/2011 FITZPATRICK CELLA HARPER & SCINTO 1290 Avenue of the Americas			EXAMINER	
			BRAY, STEPHEN A	
NEW YORK, N	NEW YORK, NY 10104-3800		ART UNIT	PAPER NUMBER
			2629	
			MAIL DATE	DELIVERY MODE
			04/06/2011	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
	10/552,985	ASAO ET AL.	
Office Action Summary	Examiner	Art Unit	
	STEPHEN A. BRAY	2629	
The MAILING DATE of this communication a Period for Reply	ppears on the cover sheet w	ith the correspondence addi	ress
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perior - Failure to reply within the set or extended period for reply will, by state the main and patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNI 1.136(a). In no event, however, may a load will apply and will expire SIX (6) MON ute, cause the application to become Al	CATION. reply be timely filed NTHS from the mailing date of this com BANDONED (35 U.S.C. § 133).	
Status			
 1) Responsive to communication(s) filed on <u>28</u> 2a) This action is FINAL. 2b) The Theorem Theorem	nis action is non-final. vance except for formal mat	•	merits is
Disposition of Claims			
4) ☑ Claim(s) 7 and 10-16 is/are pending in the ap 4a) Of the above claim(s) is/are withdr 5) ☐ Claim(s) is/are allowed. 6) ☑ Claim(s) 7, 10-16 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and	rawn from consideration.		
Application Papers			
9) The specification is objected to by the Examination The drawing(s) filed on is/are: a) and a specificant may not request that any objection to the Replacement drawing sheet(s) including the correction. 11) The oath or declaration is objected to by the least or the specific specifi	ccepted or b) objected to be drawing(s) be held in abeyan ection is required if the drawing	nce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR	, ,
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume application from the International Bure * See the attached detailed Office action for a list	nts have been received. nts have been received in A iority documents have been au (PCT Rule 17.2(a)).	application No received in this National S	tage
Attachment(s) 1)	4) 🔲 Interview S	Summary (PTO-413)	
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail Date nformal Patent Application	

Application/Control Number: 10/552,985 Page 2

Art Unit: 2629

DETAILED ACTION

In an amendment dated, 9/28/2010, the Applicant amended claims 7, 10, and 16; and cancelled claims 8-9. Currently claims 7 and 10-16 are pending.

Response to Arguments

1. Applicant's arguments with respect to claims 7, 10-16 have been considered but are most in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

- 2. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2629

4. Claims 7 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ben-David et al (US 7,268,757) in view of Yoshida et al (US 5,796,378).

Regarding claim 7, Ben-David et al discloses a color display apparatus of the type wherein a unit pixel is constituted by a plurality of subpixels including three first subpixels and three second subpixels, and each of the first subpixels having a color filter of a color selected from three colors of yellow, magenta, and cyan, and each of the second subpixels having a color filter of a second color selected from three colors of red, green, and blue, so as to generate a display state of the pixel by an additive color mixture of the first subpixels and the second subpixels (Figures 12A - 12B of Ben-David et al disclose having a plurality of subpixels consisting of three first subpixels which consist of the colors red, green and blue, and a plurality of second subpixels which consist of the colors cyan magenta, and yellow. Figure 2B of Ben-David et al discloses having a filter array 216 for coloring the pixels. Column 19, lines 15-38 of Ben-David et al also discloses having a mode of operation in which the display state of the pixel is determined based upon the additive color mixture of the first subpixels and the second subpixels.), and

a medium for changing an optical property depending on a voltage applied thereto is disposed (Column 10, line 64 through Column 11, line 31 of *Ben-David et al* discloses having a liquid crystal material which has its transmittance (brightness) changed based upon an applied voltage.), said color display apparatus comprising:

means for applying a voltage, to the three second subpixels, for changing the optical property of the medium within a brightness change range in which the light

passing through the medium is changed in brightness (Figures 12A – 12B and Column 2, line 64 through Column 3, line 54 of *Ben-David et al* disclose applying a voltage to each sub-pixel of the display device, where the transmittance (i.e. brightness) of the sub-pixel changes based upon the voltage applied to the liquid crystal material of the subpixel.),

wherein the three first subpixels and the three second subpixels are disposed in the same plane (Figures 12A - 12B of *Ben-David et al* disclose having the three first subpixels (R,G,B) and the three second subpixels (C,M,Y) disposed in the same plane.).

Ben-David et al fails to teach a medium for changing an optical property depending on a voltage applied thereto is disposed, said color display apparatus comprising:

means for applying a voltage, to the three first subpixels, for changing the optical property of the medium within a brightness change range in which light passing through the medium is changed in brightness and a hue change range in which the light passing through the medium assumes chromatic color and a hue of the chromatic color is changed.

Yoshida et al discloses a medium for changing an optical property depending on a voltage applied thereto is disposed (Figure 3 of Yoshida et al discloses having a liquid crystal material 56 which changes its optical property based upon an applied voltage.), said color display apparatus comprising:

means for applying a voltage, to the three first subpixels, for changing the optical property of the medium within a brightness change range in which light passing through the medium is changed in brightness and a hue change range in which the light passing through the medium assumes chromatic color and a hue of the chromatic color is changed (Figure 3 and Column 5, line 1 through Column 6, line 15 of *Yoshida et al* discloses applying a voltage to a plurality of subpixels to change the optical property of a medium to generate a change in color of light passing through said plurality of subpixels. Column 11, lines 1-9 of *Yoshida et al* discloses changing the brightness of light passing through the subpixels, i.e. "light white", instead of a brighter white light. Column 1, lines 41-55 of *Yoshida et al* disclose that said LC display apparatus can generate display colors, i.e. hue and gradation (brightness), which are close to the real colors.).

Therefore it would have been obvious to one of ordinary skill in the art at the time that the invention was made to modify the display device taught by *Ben-David et al* with the teachings of *Yoshida et al* in order to form a display device which can display colors which are very close to the real colors to be displayed.

Regarding claim 10, *Ben-David et al* as modified above discloses an apparatus according to claim 7, wherein said apparatus further comprises a pair of oppositely disposed substrates, and a layer of liquid crystal as the medium (Figure 3 of *Yoshida et al* discloses having a pair of oppositely disposed substrates 41, 51, where a layer of

liquid crystal material 56 is disposed between the oppositely disposed substrates 41, 51.), and

wherein said apparatus has a function of modulating incident polarized light into a predetermined state of polarization by utilizing a change in retardation on the basis of a change in alignment of liquid crystal molecules in the liquid crystal layer (Column 4, line 45 through Column 6, line 15 of *Yoshida et al* discloses that incident light is polarized into a predetermined state based upon the alignment of the liquid crystal molecules 56.), and

the three first subpixels execute color display using a modulation area on the basis of change in hue depending on the change on the basis of the change in alignment of liquid crystal molecules in the liquid crystal layer (Column 4, line 45 through Column 6, line 15 of *Yoshida et al* discloses that the color of the subpixels is changed in accordance with the voltage applied to the liquid crystal 56, where the alignment of the liquid crystal 56 is dependent upon the applied voltage.).

5. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ben-David et al (US 7,268,757) and Yoshida et al (US 5,796,378) as applied to claim 10 above, and further in view of Clerc et al (US 4,813,770).

Regarding claim 11, *Ben-David et al* as modified above discloses an apparatus according to claim 10.

Ben-David et al as modified above fails to teach wherein the liquid crystal molecules in the liquid crystal layer have a negative dielectric anisotropy and are

substantially aligned homeotropically with respect to the substrate when a voltage is not applied to the liquid crystal layer.

Clerc et al discloses wherein the liquid crystal molecules in the liquid crystal layer have a negative dielectric anisotropy and are substantially aligned homeotropically with respect to the substrate when a voltage is not applied to the liquid crystal layer (Figure 3 and Column 7, lines 11-17 of Clerc et al discloses that the liquid crystal modules of layers 2 and 4 are aligned substantially perpendicular to the substrate when a voltage is not applied to the substrate. The abstract of Clerc et al also discloses that the liquid crystal molecules consist of a negative anisotropy material.).

Therefore it would have been obvious to one of ordinary skill in the art at the time that the invention was made to further modify the display device taught by *Ben-David et al* with the teachings of *Clerc et al* in order to form a display device in which parasitic visual effects and slowness of the optical response can be avoided.

6. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ben-David et al (US 7,268,757) and Yoshida et al (US 5,796,378) and Clerc et al (US 4,813,770) as applied to claim 11 above, and further in view of Ono et al (US 6,038,001).

Regarding claim 12, *Ben-David et al* as modified above discloses an apparatus according to claim 11.

Ben-David et al as modified above fails to teach wherein the liquid crystal molecules are controlled so that they are inclined in at least two directions different in optical axis thereof when a voltage is applied to the liquid crystal layer.

Ono et al discloses wherein the liquid crystal molecules are controlled so that they are inclined in at least two directions different in optical axis thereof when a voltage is applied to the liquid crystal layer (Figure 3 of *Ono et al* discloses that the liquid crystal modules 18a are inclined in at least two directions different in optical axis when a voltage is applied to the liquid crystal layer 18.).

Therefore it would have been obvious to one of ordinary skill in the art at the time that the invention was made to further modify the display device taught by *Ben-David et al* with the teachings of *Ono et al* in order to form a display device which can display clear gray-scale images while being driven in high-duty time division, which exhibits a narrow operating voltage margin.

7. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ben-David et al (US 7,268,757) and Yoshida et al (US 5,796,378) as applied to claim 10 above, and further in view of Ono et al (US 6,038,001).

Regarding claim 13, *Ben-David et al* as modified above discloses an apparatus according to claim 10.

Ben-David et al as modified above fails to teach wherein the liquid crystal molecules in the liquid crystal layer are placed in a bend alignment state at least when a voltage is applied to the liquid crystal layer.

Art Unit: 2629

Ono et al discloses wherein the liquid crystal molecules in the liquid crystal layer are placed in a bend alignment state at least when a voltage is applied to the liquid crystal layer (Figure 3 of *Ono et al* discloses aligning the liquid crystal modules into a bend alignment state when a voltage is applied.).

Therefore it would have been obvious to one of ordinary skill in the art at the time that the invention was made to further modify the display device taught by *Ben-David et al* with the teachings of *Ono et al* in order to form a display device which can display clear gray-scale images while being driven in high-duty time division, which exhibits a narrow operating voltage margin.

8. Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ben-David et al (US 7,268,757) and Yoshida et al (US 5,796,378) as applied to claim 10 above, and further in view of Iwauchi et al (US 5,841,492).

Regarding claim 14, *Ben-David et al* as modified above discloses an apparatus according to claim 10.

Ben-David et al as modified above fails to teach wherein the liquid crystal molecules in the liquid crystal layer are substantially aligned homogeneously with respect to the substrate when a voltage is not applied to the liquid crystal layer.

Iwauchi et al discloses wherein the liquid crystal molecules in the liquid crystal layer are substantially aligned homogeneously with respect to the substrate when a voltage is not applied to the liquid crystal layer (Column 6, lines 55-67 of Iwauchi et al

discloses that when no voltage is applied to the liquid crystal layer 4-5, the layer aligns homogeneously (i.e. parallel) with respect to the substrate 1.).

Therefore it would have been obvious to one of ordinary skill in the art at the time that the invention was made to further modify the display device taught by *Ben-David et al* with the teachings of *Iwauchi et al* in order to form a display device which can realize a bright multi-color display.

9. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ben-David et al (US 7,268,757) and Yoshida et al (US 5,796,378) as applied to claim 10 above, and further in view of Hall (US 5,841,494).

Regarding claim 15, *Ben-David et al* as modified above discloses an apparatus according to claim 10.

Ben-David et al as modified above fails to teach wherein said apparatus is a transflective-type color display apparatus in which a single polarizing plate is used.

Hall discloses wherein said apparatus is a transflective-type color display apparatus in which a single polarizing plate is used (Figure 4 and the abstract of Hall discloses a transflective display with a single polarizing plate 12 being used.).

Therefore it would have been obvious to one of ordinary skill in the art at the time that the invention was made to further modify the display device taught by *Ben-David et al* with the teachings of *Hall* in order to form a display device in which the brightness of the display can be greater than the brightness of "transmissive only" LCD display devices.

10. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ben-David et al (US 7,268,757) and Yoshida et al (US 5,796,378) as applied to claim 7 above, and further in view of Moon (US 6,621,543).

Regarding claim 16, *Ben-David et al* as modified above discloses an apparatus according to claim 7.

Ben-David et al as modified above fails to teach wherein said apparatus is a transflective-type color display apparatus comprising at least light illumination means, a pair of substrates each provided with an electrode, and a pair of polarization plates, and wherein at least one of the pair of substrates has a light reflective first area and a light transmissive second area.

Moon discloses wherein said apparatus is a transflective-type color display apparatus comprising at least light illumination means, a pair of substrates each provided with an electrode, and a pair of polarization plates, and wherein at least one of the pair of substrates has a light reflective first area and a light transmissive second area (Figure 5 and Column 5, line 22 through Column 6, line 23 of *Moon* disclose having a transflective LCD device 100 with a backlight 115, a first substrates 101 with an electrode 108, a second substrate 105 which has a reflective electrode 109, which makes up a light reflective first area, and containing transparent portions "H" which make up a light transmissive second area, and a pair of polarization plates 103 and 111.).

Therefore it would have been obvious to one of ordinary skill in the art at the time that the invention was made to further modify the display device taught by *Ben-David et*

Application/Control Number: 10/552,985 Page 12

Art Unit: 2629

al with the teachings of *Moon* in order to form a display device in which absorption of light by the lower polarizer can be reduced or prevented.

Conclusion

11. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to STEPHEN A. BRAY whose telephone number is (571)270-7124. The examiner can normally be reached on Monday - Friday, 9:00 a.m. - 5:00 p.m., EST.

Application/Control Number: 10/552,985 Page 13

Art Unit: 2629

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, AMR AWAD can be reached on (571)272-7764. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/STEPHEN A BRAY/ Examiner, Art Unit 2629

/Kevin M Nguyen/ Acting SPE of Art Unit 2629

4 April 2011